

ONE DBL. PRONG CEILING
 HOOK & THREE SGL. PRONG
 WALL HOOKS EA. OPG.


ALUMINUM NO. PLATE

SIX LOUVERS @ TOP
 & BOTTOM EA. DOOR


LOCK HOLE COVER PLATE

CHROME PLATED HANDLE
 WITH PADLOCK EYE

16GA. DOOR & FRAME



ELEVATION



SECTION @ WALL

48 1/2" HIGH SINGLE TIER JORGENSON SIGNATURE LOCKER

TYPICAL FOR 9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
 TYPICAL FOR 12" & 15" DEEP

ONE DBL. PRONG CEILING
 HOOK & FOUR SGL. PRONG
 WALL HOOKS EA. OPG.


ALUMINUM NO. PLATE

SIX LOUVERS @ TOP
 & BOTTOM EA. DOOR


LOCK HOLE COVER PLATE

CHROME PLATED HANDLE
 WITH PADLOCK EYE

16GA. DOOR & FRAME
 (18" RECEIVES DOOR REINFORCING PAN)



ELEVATION



SECTION @ WALL

24GA. BODY &
 TIER HEADS

48 1/2" HIGH SINGLE TIER JORGENSEN SIGNATURE LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
 TYPICAL FOR 12" & 15" DEEP

ONE COAT ROD &
 FOUR SGL. PRONG
 WALL HOOKS EA. OPG.


ALUMINUM NO. PLATE

SIX LOUVERS @ TOP
 & BOTTOM EA. DOOR


LOCK HOLE COVER PLATE

CHROME PLATED HANDLE
 WITH PADLOCK EYE

16GA. DOOR & FRAME
 (18" RECEIVES DOOR REINFORCING PAN)



ELEVATION



SECTION @ WALL

48 1/2" HIGH SINGLE TIER JORGENSON SIGNATURE LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 18", 21", & 24" DEEP