

ONE DBL. PRONG CEILING
HOOK & THREE SGL. PRONG
WALL HOOKS EA. OPG.


ALUMINUM NO. PLATE

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS



ELEVATION



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL



36 1/2" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

TYPICAL FOR 9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12", 15", & 18" DEEP


ONE DBL. PRONG CEILING
HOOK & THREE SGL. PRONG
WALL HOOKS EA. OPG.

ALUMINUM NO. PLATE


LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND
PERFORATIONS



ELEVATION



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL



48 1/2" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

TYPICAL FOR 9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12" & 15" DEEP

ALUMINUM NO. PLATE


ONE DBL. PRONG CEILING
HOOK & THREE SGL. PRONG
WALL HOOKS EA. OPG.

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS



ELEVATION



SECTION @ WALL

16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK



60" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

TYPICAL FOR 9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12" & 15" DEEP

ALUMINUM NO. PLATE



ONE DBL. PRONG CEILING HOOK & THREE SGL. PRONG WALL HOOKS EA. OPG.

LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND PERFORATIONS



16GA. TOP, BOTTOM, SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND PERFORATIONS

18GA. BACK

ELEVATION

SECTION @ WALL

72" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12" & 15" DEEP



Jorgenson Lockers

A div. of Jorgenson Industrial Companies

STRONG on Customer Service 844-836-0151


ONE COAT ROD &
THREE SGL. PRONG
WALL HOOKS EA. OPG.

ALUMINUM NO. PLATE


LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND
PERFORATIONS



ELEVATION



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL



48 1/2" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

TYPICAL FOR 9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 18" & 21" & 24" DEEP



ALUMINUM NO. PLATE

ONE COAT ROD &
THREE SGL. PRONG
WALL HOOKS EA. OPG.

LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND
PERFORATIONS



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK



ELEVATION

SECTION @ WALL

60" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 18", 21", & 24" DEEP

ALUMINUM NO. PLATE



ONE COAT ROD &
THREE SGL. PRONG
WALL HOOKS EA. OPG.

LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK



ELEVATION SECTION @ WALL
72" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

9" & 12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 18", 21", & 24" DEEP

ALUMINUM NO. PLATE

ONE DBL. PRONG CEILING
HOOK & FOUR SGL. PRONG
WALL HOOKS EA. OPG.


LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE


14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS

18" RECEIVES DOOR REINFORCING PAN



ELEVATION



60"

9"

16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL



60" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME

TYPICAL FOR 12" & 15" DEEP

ALUMINUM NO. PLATE

ONE DBL. PRONG CEILING
HOOK & FOUR SGL. PRONG
WALL HOOKS EA. OPG.

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS

18" RECEIVES DOOR REINFORCING PAN

DOOR NOT SHOWN



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK



ELEVATION

SECTION @ WALL

72" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME

TYPICAL FOR 12" & 15" DEEP


ONE COAT ROD &
FOUR SGL. PRONG
WALL HOOKS EA. OPG.

ALUMINUM NO. PLATE


LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND
PERFORATIONS
18" RECEIVES DOOR REINFORCING PAN



ELEVATION



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL

 **Jorgenson Lockers**
A div. of Jorgenson Industrial Companies
STRONG on Customer Service 844-836-0151

48 1/2" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 18", 21", & 24" DEEP

ALUMINUM NO. PLATE

ONE COAT ROD &
FOUR SGL. PRONG
WALL HOOKS EA. OPG.

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS

18" RECEIVES DOOR REINFORCING PAN

DOOR NOT SHOWN



16GA. TOP, BOTTOM,
SHELF & DIVISIONS

DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK



ELEVATION

SECTION @ WALL

60" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME

TYPICAL FOR 18", 21", & 24" DEEP

ALUMINUM NO. PLATE

ONE COAT ROD &
FOUR SGL. PRONG
WALL HOOKS EA. OPG.

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS

18" RECEIVES DOOR REINFORCING PAN

DOOR NOT SHOWN



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK



ELEVATION SECTION @ WALL
72" HIGH SINGLE TIER JORGENSON VENTILATED LOCKER

15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 18", 21" & 24" DEEP

ALUMINUM NO. PLATE

ONE COAT ROD & FOUR
SGL. PRONG WALL HOOKS
EA. OPG.


15" DEEP RECEIVES DBL.
PRONG CEILING HOOK IN
LIEU OF COAT ROD

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME
DOOR RECEIVES REINFORCING PAN

DOOR RECEIVES DIAMOND
PERFORATIONS



ELEVATION



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL



72" HIGH SINGLE TIER JORGENSEN VENTILATED LOCKER

24" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 18", 21", & 24" DEEP