





ELEVATION



SECTION @ WALL

60" HIGH DOUBLE TIER JORGENSEN VENTILATED LOCKER

12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
 TYPICAL FOR 12", 15", 18", & 21" DEEP



ELEVATION SECTION @ WALL
72" HIGH DOUBLE TIER JORGENSEN VENTILATED LOCKER

12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12", 15", 18", 21" & 24" DEEP

ALUMINUM NO. PLATE

ONE DBL. PRONG CEILING
 HOOK & FOUR SGL. PRONG
 WALL HOOKS EA. OPENING


LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
 POCKET WITH PADLOCK EYE


14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
 PERFORATIONS

18" RECEIVES DOOR REINFORCING PAN



ELEVATION



SECTION @ WALL

60" HIGH DOUBLE TIER JORGENSEN VENTILATED LOCKER

TYPICAL FOR 15", 18", & 24" WIDE. ALLOW 1/16" CREEPAGE PER FRAME

TYPICAL FOR 12", 15", 18", 21", & 24" DEEP

ALUMINUM NO. PLATE

ONE DBL. PRONG CEILING
HOOK & FOUR SGL. PRONG
WALL HOOKS EA. OPENING

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE




14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS

18" RECEIVES DOOR REINFORCING PAN



ELEVATION



16GA. TOP, BOTTOM,
SHELF & DIVISIONS

DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL

72" HIGH DOUBLE TIER JORGENSEN VENTILATED LOCKER

15", 18" & 24" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12", 15", 18", 21", & 24" DEEP

ALUMINUM NO. PLATE


THREE SGL. PRONG WALL
HOOKS EA. OPENING

LOCK HOLE COVER PLATE


STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE



14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND
PERFORATIONS



ELEVATION




16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL

60" HIGH TRIPLE TIER JORGENSEN VENTILATED LOCKER

12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12", 15", 18", & 21" DEEP



ALUMINUM NO. PLATE


FOUR SGL. PRONG WALL HOOKS EA. OPENING

LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED POCKET WITH PADLOCK EYE

14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND PERFORATIONS

ELEVATION



16GA. TOP, BOTTOM, SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND PERFORATIONS

18GA. BACK

SECTION @ WALL




60" HIGH TRIPLE TIER JORGENSON VENTILATED LOCKER

15" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12", 15", 18", & 21" DEEP

ALUMINUM NO. PLATE
 THREE SGL. PRONG WALL HOOKS EA. OPENING
 LOCK HOLE COVER PLATE
 STAINLESS STEEL RECESSED POCKET WITH PADLOCK EYE



14GA. DOOR & 16GA. FRAME
 DOOR RECEIVES DIAMOND PERFORATIONS



ELEVATION SECTION @ WALL
 72" HIGH TRIPLE TIER JORGENSEN VENTILATED LOCKER

12" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
 TYPICAL FOR 12", 15", 18", & 21" DEEP

ALUMINUM NO. PLATE

FOUR SGL. PRONG WALL
HOOKS EA. OPENING


LOCK HOLE COVER PLATE

STAINLESS STEEL RECESSED
POCKET WITH PADLOCK EYE



14GA. DOOR & 16GA. FRAME

DOOR RECEIVES DIAMOND
PERFORATIONS



16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

ELEVATION

SECTION @ WALL

72" HIGH TRIPLE TIER JORGENSEN VENTILATED LOCKER

15" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12", 15", 18", & 21" DEEP