



ELEVATION

SECTION @ WALL




ALUMINUM NO. PLATE


PADLOCK STAPLE/DOOR PULL
W/ LOCK HOLE COVER PLATE

CONTINUOUS HINGE

14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND
PERFORATIONS



ELEVATION





BOLT WELDED LOCKER
UNITS TOGETHER @ 4
PLACES

16GA. TOP, BOTTOM,
SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND
PERFORATIONS

18GA. BACK

SECTION @ WALL







ELEVATION


SECTION @ WALL

72" HIGH FIVE TIER ALL-WELDED LOCKER


12" & 15" WIDE, ALLOW 1/16" CREEPAGE PER FRAME
TYPICAL FOR 12", 15", 18", 21" & 24" DEEP







14GA. DOOR & 16GA. FRAME
DOOR RECEIVES DIAMOND PERFORATIONS



BOLT WELDED LOCKER UNITS TOGETHER @ 4 PLACES

16GA. TOP, BOTTOM, SHELF & DIVISIONS
DIVISION RECEIVES DIAMOND PERFORATIONS

18GA. BACK

72"

SECTION @ WALL

ELEVATION

72" HIGH NINE TIER ALL-WELDED LOCKER

TYPICAL FOR 12" & 15" WIDE, ALLOW 1/16" CREEPAGE PER FRAME

TYPICAL FOR 12", 15" & 18" DEEP