

UPPER DOORS OPEN BY  
UNLATCHING IN LOWER  
COMPARTMENT AND CAN  
BE CLOSED INDEPENDENTLY



ALUMINUM NO. PLATE

TWO SGL. PRONG WALL  
HOOKS PER OPENING

LOCK HOLE COVER PL.

STAINLESS RECESSED  
POCKET W/ PADLOCK  
EYE

16GA. FRAME W/ 18GA.  
DOORS



24GA. BODY &  
TIER HEADS

Sold By

**SchoolLockers.com**

**877.952.0151**

ELEVATION

SECTION @ WALL

60" HIGH TWO PERSON GUARDIAN KNOCKDOWN LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME

TYPICAL FOR 12" & 15" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001



151560G2P.dwg

UPPER DOORS OPEN BY  
UNLATCHING IN LOWER  
COMPARTMENT AND CAN  
BE CLOSED INDEPENDENTLY


ALUMINUM NO. PLATE

TWO SGL. PRONG WALL  
HOOKS EA. OPENING


LOCK HOLE COVER PL.

STAINLESS RECESSED  
POCKET W/ PADLOCK  
EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



24GA. BODY &  
TIER HEADS

SECTION @ WALL

Sold By

**SchoolLockers.com**

**877.952.0151**

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001

72" TWO PERSON GUARDIAN KNOCKDOWN LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
TYPICAL FOR 12" & 15" DEEP



151572G2P.dwg

UPPER DOORS OPEN BY  
UNLATCHING IN LOWER  
COMPARTMENT AND CAN  
BE CLOSED INDEPENDENTLY



ALUMINUM NO. PLATE

ONE COAT ROD &  
TWO SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PL.

STAINLESS RECESSED  
POCKET W/ PADLOCK  
EYE

16GA. FRAME W/ 18GA.  
DOORS



24GA. BODY &  
TIER HEADS

Sold By

**SchoolLockers.com**

**877.952.0151**

ELEVATION

SECTION @ WALL

72" HIGH TWO PERSON GUARDIAN KNOCKDOWN LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME

TYPICAL FOR 18" & 21" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001




151872G2P.dwg

ALUMINUM NO. PLATE


THREE SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PLATE  
STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



SECTION @ WALL

24GA. BODY &  
TIER HEADS

Sold By

**SchoolLockers.com**

**877.952.0151**

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001

60" DUPLEX GUARDIAN KNOCKDOWN LOCKER  
TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
15" DEEP




151560GDx.dwg

ALUMINUM NO. PLATE


THREE SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PLATE  
STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



72"

18"

24GA. BODY &  
TIER HEADS

SECTION @ WALL

Sold By

**SchoolLockers.com**

**877.952.0151**

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001

72" DUPLEX GUARDIAN KNOCKDOWN LOCKER

15" WIDE, ALLOW 1/16" CREEPAGE PER FRAME

15" DEEP




151572GDX.dwg

ALUMINUM NO. PLATE


ONE COAT ROD &  
THREE SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PLATE  
STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



24GA. BODY &  
TIER HEADS

SECTION @ WALL

Sold By

**SchoolLockers.com**

**877.952.0151**

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001

60" DUPLEX GUARDIAN KNOCKDOWN LOCKER

TYPICAL FOR 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
TYPICAL FOR 18" & 21" DEEP




151860GDX.dwg

ALUMINUM NO. PLATE


ONE COAT ROD &  
THREE SGL. PRONG WALL  
HOOKS EA. OPENING

LOCK HOLE COVER PLATE  
STAINLESS STEEL  
RECESSED POCKET  
WITH PADLOCK EYE

16GA. FRAME W/ 18GA.  
DOORS



ELEVATION



SECTION @ WALL

24GA. BODY &  
TIER HEADS

Sold By  
**SchoolLockers.com**  
877.952.0151

72" DUPLEX GUARDIAN KNOCKDOWN LOCKER  
TYPICAL 15" & 18" WIDE, ALLOW 1/16" CREEPAGE PER FRAME  
18" & 21" DEEP

This drawing shows a standard Penco Product. Any modifications to the product must be approved by Penco Engineering. 8/6/2001



151872GDX.dwg